



Multi Decks



DESCRIPTION OF STANDARD UNIT:

- 4 depths: 70 (680 mm), 80 (780 mm), 90 (880 mm) and 110 (1080 mm)
- 2 heights: 2000 mm (PR), 2250 mm (PR Plus)
- Sides of powder-coated steel or with glass
- Grey bumper
- 5 (PR) or 6 (PR Plus) rows of adjustable shelves
- Top lighting
- Night blind
- For external condensing unit (with expansion valve)
- Temperature range: $-1 \div +7^{\circ}\text{C}$

OPTIONS:

- Glass sliding doors (DP)
- Plexiglas hinged doors (DU)
- Electrical night blind
- Highlighted shelves
- Vertical lighting
- Hooks for meat
- Plexiglas or stainless steel vertical separator
- Plexiglas or wired shelf stoppers
- Multiplexing
- Internal refrigerated corner (NW)
- Fruits & vegetables version (interior in RAL 9006 with mirrored stainless steel roof and back panel)



PR PLUS



PRAGUE

TYPE	Cooling power demand* (W/mr)
PRAGUE 70, 80, 90	1300÷1400
PRAGUE110	1400÷1500
PRAGUE PLUS 70	1400÷1500
PRAGUE PLUS 80, 90, 110	1450÷1550
CORNER (all sizes)	1500
PRAGUE WITH DOORS (all types)	900




* At evaporating temp of -10°C and condensation temp of +45°C

TYPE R-1 PR	Length without sides (mm)	Depth (mm)	Height (mm)	Useful surface (m ²)	Weight (kg)	Power supply* (W)	Power supply** (W)
130	1200	680 /780 /880 /1080	2000±30	2,6/3,2/3,8/4,5	190/220/230/240	110	610
160	1500			3,3/3,9/4,7/5,5	240/260/270/280	120	720
190	1800			3,9/4,7/5,6/6,6	280/320/340/360	125	765
210	1980			4,3/5,2/6,1/7,4	320/340/350/380	180	980
250	2400			5,2/6,3/7,5/8,9	360/380/370/390	180	1180
280	2700			5,9/7,1/8,5/10,0	390/420/430/450	230	1330
310	3000			6,6/8,1/9,6/10,2	430/450/470/500	235	1435
385	3750			8,3/10,1/12,0/12,8	530/560/580/620	295	1495
NW				3,3/3,9/4,7/5,5	180/200/210/230	130	850
B	50						

* For standard version ** For version with heaters on evaporator

TYPE R-1 PR PLUS	Length without sides (mm)	Depth (mm)	Height (mm)	Useful surface (m ²)	Weight (kg)	Power supply* (W)	Power supply** (W)
130	1200	680 /780 /880 /1080	2250±30	3,0/3,7/4,4/5,2	210/240/250/260	110	610
160	1500			3,8/4,6/5,4/6,3	260/280/290/310	120	720
190	1800			4,6/5,5/6,5/7,6	310/350/370/390	215	855
210	1980			5,0/6,1/7,1/8,5	350/370/380/410	220	1020
250	2400			6,1/7,4/8,6/10,2	390/410/400/420	220	1220
280	2700			6,9/8,3/9,8/11,5	330/460/470/490	230	1320
310	3000			7,6/9,2/10,8/12,7	470/490/510/540	235	1435
385	3750			9,6/11,3/13,4/15,7	580/610/630/670	295	1495
NW				3,8/4,6/5,4/6,3	200/220/230/250	130	850
B	50						

* For standard version ** For version with heaters on evaporator





PRAGUE DU with hanging doors



PRAGUE DP with sliding door

TYPE R-1 PR, R-1 PR PLUS	130	160	190	210	250	280	310	385
Quantity of sliding doors (pcs.) DP	2	2	2	4	4	4	4	6
Quantity of hanging doors (pcs.) DU	2	2	3	3	4	4	5	5





Multi Decks